Memo

Quality Control

										DQA:	Date	:
NCR:	Yes / No				WORK ORDER NON-C	100	NFORM	AANCE / UPDATE		•		
								4 11 11 11		QA Closed:	Date	;
Work Orde	ar.				DISPOSITION			AGAINS	T DE	PARTMENT/	PROCESS	
WOIN OIG					Rework	1		Skid-tube Crosstub	e]	Water Jet	Engineering
Part N	No.				Scrap	1		Machining Small Fal		Proc	d. Eng. Coor.	Quality
					Use-as-is			noforming Finishin	g	Rec/Stor	e/Packaging	Other
NCR N	No				Work Order Update]		Large Fab Composit	e 🔼]	Supplier	
				,						,		
Root				i	ption of work order update	1	nitial	Action		Sign &		
Cause	Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Description		Date	Verification	QC Inspector
Doc/Data												
Equip/Tooling												
Operator												
Material		ļ										
Setup												
Other												
Process		l						•				
Supplier												
Training						1						
Unapproved		1		<u> </u>								
						AUL	T CATE	GORY				
Landi	ng Gear				General	_	۱		Γ	۱. ،	Г	7. (5)
	Bending				Bend	-	Grain		\vdash	Ovalized		Pressure/Forced
	Centre N	ot Concer	ntric to	o/s	BOM/Route	\vdash	Hardwa		-	Over/Under	<u> </u>	Temperature/Cure
	Cracks			<u> </u>	Broken/Damaged	<u> </u>	1	on Incomplete	\vdash	Part Incorrec	⊢	Weld
	Crushed/Crimped. Burrs					-	1	ions Incomplete/Unclear	\vdash	Part Lost/Mi	ssing	Wrong Stock Pulled
:	Cuffs			<u> </u>	Contamination	<u> </u>	Mainte		\vdash	Part Moved		
	Heat Trea	at		1	Countersink	1	Mislabe	led	- 1	Positioned W	/rong	

Misread

Out of Calibration

Out of Sequence

Outside Dimensions

Offset

Power Loss/Surge

Other

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish

Work Orde March-12-13 1:		3307		*983	307*						Page 2
Item ID: Revision ID:	D2221			Accept	*N900	040	100	* s	etup Sta		VS1*
Item Name:	350 Basket B	Base							Sto	p *	VS2*
Start Date: Required Date:	3/11/13 4/10/13	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item I Customer:	D:				-	
Reference:			•							4	1
Approvals:	Process Pl	an:	Date:	Tooling:	Da	ate:		R	un Sta		VR1*
approvais.	QC:		Date:	SPC (Y/N):	Da	ate:			Sto	op *	NR 2*
Sequence ID/ Work Center II	D	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Numb	
120		QC6- Inspect dimension	s to drawing	0.00							
120		Мето		0.00				B	03.96		09
Quality Control											~ 89 /
125		Pressure Wash per QSI0	05 4.3	0.00				1	_	 1	
125				0.00					M	215	500

0.00

Memo

125
HandFinish

Hand Finishing

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-C	10:	NFORM	AANCE / UPD			.	
									· · · · · · · · · · · · · · · · · · ·		QA Closed:	Date:	
Work Ord	er.					DISPOSITION				AGAINST DE	PARTMENT	PROCESS	
Part I	•					Rework Scrap		1	Skid-tube Machining	Crosstube Small Fab		Water Jet d. Eng. Coor.	Engineering Quality Other
NCR I	۷o. ِ					Use-as-is Work Order Update			noforming Large Fab	Finishing Composite	Rec/Stor	e/Packaging Supplier	Other
Root					Descri	ption of work order update	Ī	nitial	Actio	on	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Descri	ption	Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling												* .	
Operator				:									
Material													
Setup													
Other			•										,
Process													
Supplier	Ш												
Training													
Unapproved					<u> </u>								
				0.0			AUL	T CATE	GORY				
Landi						General	_				1	 -	1
	-	Bending				Bend		Grain		-	Ovalized		Pressure/Forced
•		Centre Not Concentric to O/S BOM/Route						Hardwa	re		Over/Under	tolerance	Temperature/Cure
	\vdash	Cracks				Broken/Damaged		1	on Incomplete		Part Incorred	⊢	Weld
1	Ш	Crushed/0	Crimped.			Burrs		4	ions Incomplete/Ui	nclear	Part Lost/Mi	ssing	Wrong Stock Pulled
	Ш	Cuffs				Contamination	_	Mainte			Part Moved		
	Ш	Heat Trea	t			Countersink		Mislabe	led		Positioned V	Vrong	7
	1 1	Inspection	Strin in	Tuhe	1	Cut Too Short	1	Misread	1		Power Loss/	Surge	Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde				*9830	7*				Page 3
Item ID: Revision ID: Item Name:	D2221	set Base		Accept	N90004	0100 *	Setup	Start	*NS1* *NS2*
Start Date: Required Date: Reference:	3/11/13	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item ID: Customer:				14()/
Approvals:		s Plan:	Date:	Tooling: SPC (Y/N):	Date:		Run	Start Stop	*NR1* *NR2*
Sequence ID/ Work Center ID 130 *130* Powdercoat Powder Coating		START TIN OVEN TEN	s prior to AE: APERATURE: AE: AE: AE: AE: AE: AE: AE:	Set Up/ Run Hours 0.00 0.00 5 400 ecessary***********************************	Tool ID Tool		Accept Re Oty Ot		Reject Insp. Number Stamp
140 *140* QC		QC3- Inspect Part Finish Memo		0.00		· ·	1 \$	13	3-27.

Quality Control

NCR:	Yes	/ No				WORK ORDER NON-	100	NFOR	MANCE / UP	DATE	QA Closed:	Date:	
Work Orde	er:					DISPOSITION	7			AGAINST DE		_	1
Part N	•					Rework Scrap Use-as-is		Thern	Skid-tube Machining noforming	Crosstube Small Fab Finishing	4	Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR N	NO					Work Order Update	_		Large Fab	Composite]	Supplier	
Root Cause		Date	Step	Qty		ption of work order update or Non-conformance		Initial nief Eng		tion ription	Sign & Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
					180 100	~	AUL	T CATE	GORY				
Landii بر	Centre Not Concentric to O/S Cracks Crushed/Crimped. Cuffs Heat Treat Inspection Strip in Tube Ripples in Bend Centre Not Concentric to O/S B6 B7				General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing		Instruct Mainte Mislabe Misreac Offset	on Incomplete ions Incomplete/ enance eled	Unclear	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct sissing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other	

Out of Sequence
Outside Dimensions

DQA: _____

Date:

Turning Sequence

Wave/Twist in Tube

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde		3307		*983	307*						Page 4
Item ID: Revision ID: Item Name:	D2221 350 Basket B	ase		Accept	*N900	040	100) * s	Setup Sta	1/3	S1* S2*
Start Date: Required Date: Reference:	3/11/13 4/10/13	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item II Customer:	D:					
Approvals:	Process Pla	an:	Date:	Tooling: SPC (Y/N):		te:		F	Run Sta Sto	" \	R1* R2*
Sequence ID/ Work Center II	D	Operation Description Identify as per dwg & Sto	ock Location: D35	Set Up/ Run Hours	Tool ID 98081	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 Packaging		Мето	r	0.00				_/	Ø 1	KB3	3-27.
¹⁶⁰		QC21- Final Inspection -	Work Order Release	0.00					13/	3/28	7
QC Quality Control		Мето		0.00				<u> </u>		MC	513-03-

NCR: Y	'es / No				WORK ORDER NON-	CONF	ORI	MANCE / UP	DATE			
										QA Closed:	Date	e:
Work Orde	or:				DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Work Orde					Rework	7		Skid-tube	Crosstube		Water Jet	Engineering
Part N	lo.				Scrap	1		Machining	Small Fab	Pro	d. Eng. Coor.	Quality
		-			Use-as-is	·] ⊤	hern	noforming	Finishing	Rec/Sto	re/Packaging	Other
NCR N	lo				Work Order Update]		Large Fab	Composite]	Supplier	
Root				Descri	ption of work order update	Initi	ial	Act	tion	Sign &		
Cause	Date	Step	Qty	C	or Non-conformance	Chief	Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data												
Equip/Tooling	_					1						
Operator	_											
Material	_											
Setup												
Other												
Process	_		·									
Supplier	_											
Training	-	}										
Unapproved		<u> </u>				AULT C	ATE	CORY		<u> </u>		
Landin	ng Gear				General General	AULIC	ATE	GORT				···
	Bending			Г	Bend	Gr	ain		_	Ovalized	Г	Pressure/Forced
1	Centre No	nt Concer	ntric to (_{2/5}	BOM/Route	\vdash	rdwa	ire	-	Over/Under	tolerance	Temperature/Cure
	Cracks	30 0011001		" <u> </u>	Broken/Damaged	\vdash		ion Incomplete	<u> </u>	Part Incorre	-	Weld
1	Crushed/Crimped				Burrs	— →	-	ions Incomplete/	Jnclear	Part Lost/M		Wrong Stock Pulled
	Cuffs				Contamination	⊢⊣		enance		Part Moved		
Ī	Heat Trea	it			Countersink	-	slabe		 	Positioned V	Vrong	
ļ	Inspection	n Strip in	Tube		Cut Too Short	Мі	sreac	d		Power Loss/	Surge	Other
Ī	Ripples in Bend Drill Holes						fset		_	_		*
	Torque Waves in Extrusion Drawing					Ou	t of (Calibration				
	Turning S	equence			Finish	Ou	t of S	Sequence				

Outside Dimensions

DQA: _____ Date: __

Wave/Twist in Tube

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

March-12-13 1:46:32 PM

Work Order ID:

98307

Parent Item:

D2221

Parent Item Name:

350 Basket Base

Start Date: 3/11/13

Required Date: 4/10/13

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:J 05.09.02

IPP Rev:K 08-08-29

revG as per dwg DD verified by:EC

IPP Rev:L 08-09-24

plug holes prior to powder coat DD verified by:EC

IPP Rev:M 08-12-02 revH as per dwg DD verified by:EC

Added D3442-1 KJ/JLM

IPP Rev:N 10.06.29 added pressure

wash DD verf:EC

	wash DD vert:EC												
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2221-1		Manufactured	No			100	Each	10.0000	1	90,10			
Rib									\mathbb{B}_{-}	98418			
				Location		Loc Qty	L	oc Code		RH	13.03	₹.~27	
				WA005		10							
				8684	7	1		•					
				9085	6	9							
D2221-5		Manufactured	No			100	Each	24.0000	2	2		_	
Rib									$-\mathcal{B}_{-}$	94273	_ ~	/ <u>x</u>	and the same of th
				Location		Loc Qty	<u>I</u>	oc Code			SS		- 33
				WA004		22					49)	305	3 20/4
				9084	.0	1							
				9427	'3	. 21							
				WA006		2							
				6711	7	2						1	
D2221-7		Manufactured	No			100	Each	3.0000	1	87715	- 1	W. = 1	n 2. a ~
Rib									$-\mathcal{B}$	8111		1100	10 N
				Location		Loc Qty	L	oc Code					
				WA004		. 3							
				8939	98	3				· .			
D2232-3		Manufactured	No			100	Each	12.0000	2	2			
Basket Hinge										39726	1/20)y	***************************************
				Location		Loc Qty	ι	oc Code			CH 13		
		•		WA004		12	_			_	l H 12	.02.	22
				7558	R1	2						ع رح	* ~
•						10							
				8935	5 <u>8</u>	10							



NCR:	Yes	/ No				WORK ORDER NON-	COI	NFORM	AANCE / UPDATE		QA Closed:	Dat	·e·
Work Orde	er:					DISPOSITION			AG	SAINST DE	PARTMENT,		
Part N	- No					Rework Scrap Use-as-is Work Order Update		l Therm	Machining Sm noforming Fi	esstube all Fab anishing apposite		Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root Cause		Date	Step	Qty		ption of work order update or Non-conformance		Initial nief Eng	Action Description		Sign & Date	Verification	n QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
Landii	ng Gr	ear				General	AUI	LT CATE	JURT		<u></u>		
Landing Gear Bending Centre Not Concentric to O/S Cracks Crushed/Crimped Cuffs Heat Treat Inspection Strip in Tube Ripples in Bend Torque Wayes in Extrusion				Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes		Instruct Mainte Mislabe Misread Offset	on Incomplete ions Incomplete/Unclear nance led		Ovalized Over/Under Part Incorre Part Lost/M Part Moved Positioned V Power Loss/	ct issing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other		

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

March-12-13 1:46:32 PM

98307 Work Order ID: D2221 **Start Date: 3/11/13** Required Date: 4/10/13 Parent Item: Required Qty: 1.00 Parent Item Name: 350 Basket Base Start Qty: 1.00 D2235-1 100 Each 21.0000 No Manufactured Basket Rib Sy 13.03.22 Location Loc Oty Loc Code WA004 21 66895 85602 86051 90703 12 D2581 No 100 Each 34.0000 Manufactured Mounting Bracket Location Loc Qty Loc Code WA004 34 70766 2 81253 82506 2 83230 3 85452 2 87706 2 22 94204 100 12.0000 D3442-1 Manufactured No Each Shim Loc Qty Loc Code Location WA004 12 12 86720 D3825-041 100 Each 12.0000 No Manufactured Rib Assembly (Basket End) Loc Qty Loc Code Location WA004 12 89380 10 89450 2

NCR: \	es / No				WORK ORDER NON-	COV	IFORN	/IANCE / UP	DATE	04 (1	Data	
					T					QA Closed:	Date	
Work Orde	or.				DISPOSITION				AGAINST [DEPARTMENT	/PROCESS	
WOIK OIGE					Rework	7		Skid-tube	Crosstube		Water Jet	Engineering
Part N	lo.				Scrap	1		Machining	Small Fab	Pro	d. Eng. Coor.	Quality
					Use-as-is	1	Therm	noforming	Finishing	Rec/Sto	re/Packaging	Other
NCR V	Jo	· F · ·			Work Order Update]		Large Fab	Composite		Supplier	
Root				Descri	ption of work order update	111	nitial	Ac	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chi	ief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data												
Equip/Tooling]		
Operator			,			1 .						
Material												
Setup										<u> </u>		
Other												
Process										1		
Supplier												
Training		ļ										
Unapproved						ļ						
					F	AUL	T CATE	GORY				······································
Landir	ng Gear			_	General				г	_	г	-
	Bending			_	Bend	\vdash	Grain		1	Ovalized	-	Pressure/Forced
	Centre No	ot Concer	ntric to	o/s	BOM/Route	\vdash	Hardwa		-	Over/Unde	-	Temperature/Cure
	Cracks			<u> </u>	Broken/Damaged	\vdash	•	on Incomplete	1	Part Incorre	⊢	Weld
	Crushed/	Crimped.		<u> </u>	Burrs			ions Incomplete/	'Unclear	Part Lost/M		Wrong Stock Pulled
	Cuffs				Contamination	-	Mainte].	Part Moved		
	Heat Treat Countersink						Mislabe		1	Positioned		\neg
	Inspection		Tube		Cut Too Short	\vdash	Misread	1	Ĺ	Power Loss	/Surge	Other
	Ripples in	Bend			Drill Holes		Offset					
I	Torque W	laves in F	xtrusio	n	Drawing	1 1	Out of C	alibration				

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Finish Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

March-12-13 1:46:33 PM

Work Order ID:	98307								
Parent Item:	D2221						Start	Date: 3/11/13	Required Date: 4/10/13
Parent Item Name:	350 Basket Base						Start	Qty: 1.00	Required Qty: 1.00
D3826-041 Rib / Gusset Assembly		Manufactured	No		100	Each	6.0000	B82	306→21
				Location	Loc Oty		Loc Code		1413:03:02
				WA007	6		•		200100000000000000000000000000000000000
				90722	6			~	_
D3827-041 Rib Assembly (Inboard)		Manufactured	No		100	Each	6.0000	B 95	186 SY 13.03 2
				Location	Loc Oty		Loc Code		:
				WA005	6				
				90866	4				_
	•			95286	2				
D3832-1 Mesh (Base)		Manufactured	No		100	Each	3.0000	1 B871	14 / (3.03.22
				Location	Loc Oty		Loc Code		-
				WA	3				_
				96614	3				_
D3833-1 Mesh (Base End Face)		Manufactured	No		100	Each	10.0000	² 39	13.03.26
				Location	Loc Qty		Loc Code		12 02.76
				WA007	10				10.02.26
				77521	4		-		_
				81259	1				
•				89208	1				_
				92602	4				

NCR: Y	es / No				WORK ORDER NON-C	CONF	ORN	MANCE / UPD		QA Closed:	Date	
Work Orde	er:				DISPOSITION				AGAINST DEF	 	PROCESS	
Part N NCR N					Rework Scrap Use-as-is Work Order Update		f Thern	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite		Water Jet d. Eng. Coor. e/Packaging Supplier	Engineering Quality Other
		1	1	Dagawi	ation of world and an undate	, 	tial	Actio		Sign &		
Root Cause	Date	Step	Qty		ption of work order update or Non-conformance	l	tiai f Eng	Descrip	1	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved												
	-				FA	AULT	CATE	GORY				
Landir	Landing Gear Bending Centre Not Concentric to O/S Cracks Crushed/Crimped. Cuffs Heat Treat Inspection Strip in Tube Ripples in Bend Torque Waves in Extrusion				General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes Drawing	H Ir	nstruct Mainte Mislabe Misreac Offset	ion Incomplete ions Incomplete/Ur enance eled	nclear	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct ssing	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
ſ	Turning S	equence			Finish	c	of S	Sequence				

Outside Dimensions

DQA:

Date:

Wave/Twist in Tube


H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G


ITEM QTY DESCRIPTION Х D2221 BASKET BASE ASSEMBLY (AS350) RIB 2 1 D2221-1 3 2 D2221-5 RIB D2221-7 RIB D 5 2 D2232-3 BASKET HINGE 2 D2235-1 RIB 2 D2581 MOUNTING BRACKET 8 2 D3442-1 SHIM 2 D3825-041 RIB ASSY (BASKET END) 10 2 D3826-041 RIB/GUSSET ASSY 11 1 D3827-041 RIB ASSY (INBOARD) 12 2 D3833-1 MESH, BASE END FACE 13 D3832-1 MESH (BASE) Congress कुष्य १४४३० * K * 1812, * G THE COPY Telation of the control 98307 MLJ D2221 BASKET BASE ASSEMBLY (AS350) (MESH SHOWN LOCALLY FOR CLARITY) 13-03-15 REVISED PARTS LIST AND ADDED "ITEM" COLUMN TO PARTS LIST (ZN D3-1); REVISED SECTIONS A-A, B-B AND C-C (ZN C6-3), C2-3 NP 6-6-3); REVISED DETAIL, D (ZN B7-4); ADDED DETAIL B (ZN A6-4); ADDED SECTION F-F (ZN B2-4); ADDED DWG DETAILS FOR DZ221-16-57 (SHEET 5); TOL REVISED TO 2 DEC PLACES (ZN D8-3 AND ZN B4-3); D325-941 REPLACES D222-3-70/327-3, D326-041 REPLACES D222-10/327-3, D326-041 REPLACES D222-1-00 NIBOARD SIDE; ADDED D8382-1 AND D3833-1, REASON: SATISFY "LEAN MANUFACTURING" PROGRAM. MB 08.09.18 MATERIAL FOR -1, -3, -5 & -7 WAS 0,060 WALL;
TOLERANCE FOR 96,00 DIM WAS +/-0,01 AND 56,00 DIM
WAS REF (ZN B4-2); NOTE 5 TRANSFERED FROM SHT 1
TO SHT 2; SHT 2 MESH WATERIAL UPDATED; DRAWING
TRANSFERED TO "B" FORMAT 08.06.16 AJS ADD SHIM UNDER HINGE; ADD HOLES FOR SPLIT LID BASKET PH 05.06.07 CHANGE HINGE E CP 01.04.19 D CHANGE LATCH BW 96.06.21 SEPARATE BASKET AND LID С KH 95.11.21 REV. DESCRIPTION BY DATE DESIGN DART AEROSPACE LTD 1) MATERIAL: N/A DRAWN HAWKESBURY, ONTARIO, CANADA 2) FINISH: POWDER COAT GLOSS WHITE (4.3.5.2) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED CHECKED DRAWING NO. REV. H D2221 MFG. APPR SHEET 1 OF 5 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX APPROVED TITLE SCALE 6) IDENTIFICATION: N/A BASKET BASE ASSEMBLY (350) NTS DE APPR. 8) WEIGHT: 42.00 lbs APPROX COPYRIGHT © 1994 BY DART AEROSPACE LTD


1-8 DOCUMENTS PRIVATE AND DOMERITAL HOLD SUPPLYED DITHER DOCUMENTS OF DIFFERENCE OF COMMUNICATION OF THE PLANS OF MANUAL HOLD SUPPLY OF THE PLANS OF PRIVATE AND DIFFERENCE OF THE PLANS O DATE 9) MASK ALL HOLES PRIOR TO POWDER COATING 08.09.18

D


8







93503



NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.065 WALL REF. DART SPEC. M304TS0.750W0.065
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
8) WEIGHT:D2221 -1 = 4.57 lbs; D2221-5 = 0.90 lbs; D2221-7 2.65 = lbs

DESIGN	BW	DART AEROSPACE LTD
DRAWN		HAWKESBURY, ONTARIO, CANADA
CHECKED	A>>	DRAWING NO. REV. H
MFG. APPR.	$A \wedge \lambda$	D2221 SHEET 5 OF 5
APPROVED	Mi	TITLE SCALE
DE APPR.	dif	BASKET BASE ASSEMBLY (350) NTS
DATE 08.09.18		COPYRIGHT © 1994 BY DART AEROSPACE LTD THE DOLLMENT IS BRINTE AND COMPADDING AND SEASON BOOK THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPED OR COMMUNICATED ID ANY OTHER PRESONWITHOUT WIGHTEN PERMISSION FROM DARK REPORTAGE LTD.